

BMJ Open A qualitative analysis of Māori and Pacific smokers' views on informed choice and smoking

Heather Gifford,¹ El-Shadan Tautolo,² Stephanie Erick,³ Janet Hoek,⁴ Rebecca Gray,⁵ Richard Edwards⁵

To cite: Gifford H, Tautolo E-S, Erick S, *et al*. A qualitative analysis of Māori and Pacific smokers' views on informed choice and smoking. *BMJ Open* 2016;**6**:e011415. doi:10.1136/bmjopen-2016-011415

► Prepublication history and additional material is available. To view please visit the journal (<http://dx.doi.org/10.1136/bmjopen-2016-011415>).

Received 6 February 2016
Revised 19 April 2016
Accepted 26 April 2016



CrossMark

¹Whakauae Research Services, Director's Office, Whanganui, New Zealand
²Department of Public Health and Psychosocial Studies, AUT University, Auckland, New Zealand
³ASH New Zealand, Director's Office, Auckland, New Zealand
⁴Department of Marketing, University of Otago, Dunedin, New Zealand
⁵Department of Public Health, University of Otago Wellington, Wellington, New Zealand

Correspondence to
Professor Janet Hoek;
Janet.hoek@otago.ac.nz

ABSTRACT

Objectives: Tobacco companies frame smoking as an informed choice, a strategy that holds individuals responsible for harms they incur. Few studies have tested this argument, and even fewer have examined how informed indigenous smokers or those from minority ethnicities are when they start smoking. We explored how young adult Māori and Pacific smokers interpreted 'informed choice' in relation to smoking.

Participants: Using recruitment via advertising, existing networks and word of mouth, we recruited and undertook qualitative in-depth interviews with 20 Māori and Pacific young adults aged 18–26 years who smoked.

Analyses: Data were analysed using an informed-choice framework developed by Chapman and Liberman. We used a thematic analysis approach to identify themes that extended this framework.

Results: Few participants considered themselves well informed and none met more than the framework's initial two criteria. Most reflected on their unthinking uptake and subsequent addiction, and identified environmental factors that had facilitated uptake. Nonetheless, despite this context, most agreed that they had made an informed choice to smoke.

Conclusions: The discrepancy between participants' reported knowledge and understanding of smoking's risks, and their assessment of smoking as an informed choice, reflects their view of smoking as a symbol of adulthood. Policies that make tobacco more difficult to use in social settings could help change social norms around smoking and the ease with which initiation and addiction currently occur.

BACKGROUND

The New Zealand Parliament has several Select Committees that comprise members drawn from all political parties.¹ As well as reviewing draft legislation, these committees may establish inquiries into matters of concern to New Zealand. Following prompting by Māori politicians and health advocates, the Māori Affairs Select Committee (MASC) initiated an Inquiry into the tobacco

Strengths and limitations of this study

- Use of in-depth qualitative methods allowed detailed probing of participants' smoking uptake and their understanding and personal acceptance of smoking's risks.
- Our findings illustrate how Māori and Pacific young adults see smoking as usual within their communities and highlight potential interventions that could denormalise smoking and reduce its perceived acceptability.
- The study is deliberately exploratory and our findings thus require testing with a wider sample before they can be generalised further.

industry in Aotearoa and the consequences of tobacco use for Māori.² In October 2010. The Inquiry called for an analysis that examined the toll of tobacco use on Māori, and recognised New Zealand's striking disparities in smoking prevalence, which is much higher among Māori (38%) and Pacific peoples (25%) than among NZ Europeans (15%).³

Among other claims advanced to the MASC, tobacco company representatives argued that smoking is an 'informed adult choice'; this argument implies that smokers start smoking after appraising the risks and benefits they may incur.⁴ By transferring responsibility for future harm back onto smokers themselves, tobacco companies reduce their potential liability and promote beliefs that tobacco control measures undermine individuals' right to smoke.^{4 5} This argument has a superficial appeal and sits easily within the neoliberal discourse that has dominated New Zealand's political landscape. However, the premises of this argument have not been carefully tested and require closer scrutiny, given tobacco companies' use of this claim to oppose policy measures. Fully informed choices are arguably more important for tobacco than for

other products, given how addictive smoking is and the enormous harm tobacco inflicts on users.

Māori and Pacific take up smoking at a younger age than their European counterparts; children as young as 11 years of age may experiment with smoking, and smoking may become established in children by age 14⁶; for these smokers, starting smoking is clearly not an adult choice. However, smoking uptake also occurs among Māori and Pacific young adults and prevalence remains high among those aged 18–25 years, despite reductions in adolescent smoking rates.^{7 8} Evidence of increasing smoking uptake among young people aged 18 years and over, who are legally considered adults in New Zealand, highlights the importance of testing the tobacco industry's 'informed choice' arguments. Specifically, few studies have explored whether young adults, particularly those most impacted by inequalities, make active and informed decisions to start smoking.

Despite the superficial appeal of 'informed choice' arguments, which draw on neoliberal views of personal responsibility,^{9 10} these overlook important socio-economic and cultural factors that influence Māori and Pacific young adults' decision-making. For example, Māori and Pacific ethnic groups typically have poverty rates around double those of the European ethnic group, regardless of the measure used, and smoking accounts for a large proportion of economic hardship experienced by Māori and Pacific peoples.¹¹ Levels of social inequality between Māori and European peoples have an independent effect on Māori smoking rates.¹² Where smoking prevalence is high, as it is among Māori and Pacific peoples, young adults may regard it as normal, associate it with desirable social benefits,^{13–15} and discount the risks communicated in health warnings and through other media. Furthermore, cultural practices such as gift giving and sharing may undermine informed choice by promoting uptake in contexts where refusal to accept or use tobacco may be regarded as impolite, or where sharing is strongly associated with hospitality and generosity.¹⁶

Other factors likely to affect European New Zealanders as well as Māori and Pacific young adults include the widespread association of smoking and drinking.¹⁷ Growing evidence suggests alcohol consumption both facilitates smoking initiation and fuels tobacco use.^{17 18} Higher rates of drinking a large amount of alcohol among Māori and Pacific peoples thus further undermine young people's ability to undertake the risk-benefit assessments implicit in informed choices.^{19 20}

Informed choice framework

Chapman and Liberman proposed four levels of understanding and knowledge that smokers should possess before they can make an informed choice.²¹ First, smokers need to have heard that smoking increases health risks; second, they must be aware that smoking causes specific diseases; third, they must accurately appreciate the meaning, severity and probabilities of

developing diseases caused by tobacco use. Finally, they must personally accept the risks inherent in levels 1–3 as applicable to themselves. Other factors, such as addiction and social context, may also influence informed choices by circumscribing the options available to young people. We considered these factors, together with young people's socioeconomic and cultural settings, alongside Chapman and Liberman's criteria, and then used the resulting framework to investigate whether Māori and Pacific young adults make active, informed decisions when they begin to smoke. We compared and contrasted the results from these analyses with those from a predominately New Zealand European sample, which has been reported separately.²² Our overall research question explored how smoking uptake occurred, particularly the risk awareness and understanding our participants displayed, and the contexts in which their behaviour evolved.

METHODS

Sample

We conducted in-depth interviews with 20 18–26-year-olds (10 Māori and 10 Pacific) who had started smoking since turning 18. Participants were recruited using whanaungatanga or kinship networks, by word of mouth and via social media and community advertising, using approaches we have previously used successfully.²³ We also recruited via Māori and Pacific health services that offered culturally targeted primary care, where we placed notices about the research. As recruitment proceeded, we used purposive selection to promote diversity and ensure participants varied by age and gender, and displayed varied smoking behaviours (ie, the sample included both daily and intermittent smokers and recent quitters).

Māori participants included students, caregivers and those in employment; just over half were in paid employment and eight of the 10 were living with wider family or friends. Seven of the 10 Pacific participants were living with their parents, the majority were in some form of paid employment, and three participants were also studying (table 1). All participants received an information sheet and provided written consent.

Protocol and procedure

We used a semistructured interview guide to explore participants' smoking initiation and each component of Chapman and Liberman's informed choice framework. The interview guide was developed collaboratively within the research team and underwent cognitive pretesting before interviewing started. Specifically, we explored participants' awareness and knowledge of smoking's risks, and their acceptance of those risks when they began smoking. We also probed their reflections on how informed they considered their uptake of smoking was. To test the framework's completeness, we examined how participants understood addiction (particularly prior to

Table 1 Participants' Characteristics

Participant code*	Ethnicity	Age	Gender	Smoking status
MM26	Māori	26	Male	Daily
MF24	Māori	24	Female	Recent quitter
MM20	Māori	20	Male	Daily
MF19a	Māori	19	Female	Intermittent
MM23	Māori	23	Male	Daily
MF25a	Māori	25	Female	Daily
MF19b	Māori	19	Female	Daily
MF22	Māori	22	Female	Daily
MF25b	Māori	25	Female	Daily
MM25	Māori	25	Male	Daily
PF18	Pacific	18	Female	Intermittent
PF23	Pacific	23	Female	Daily
PF20	Pacific	20	Female	Daily
PF24	Pacific	24	Female	Intermittent
PM19a	Pacific	19	Male	Daily
PM19b	Pacific	19	Male	Daily
PF19a	Pacific	19	Female	Daily
PM19c	Pacific	19	Male	Intermittent
PM19d	Pacific	19	Male	Intermittent
PF19b	Pacific	19	Female	Daily

*We have used the codes shown to attribute quotations, but note that we did not quote each respondent; thus, not all codes are used in the Results section.

smoking), explored whether and how they had considered the risks smoking poses, and reviewed the social and environmental contexts in which their smoking began. A copy of the interview guide is included as an online supplementary file. Interviews were carried out by Māori and Pacific interviewers with Māori and Pacific participants, respectively, in late 2012 and early 2013 and took between 25 and 50 minutes. Interviewing continued until no new idea elements had been elicited in two consecutive interviews. With participants' permission, each interview was audio recorded and then transcribed verbatim.

Data analysis

Interviewers undertook an intensive review of their interview transcripts and developed an initial descriptive classification that drew on the interview guide and was grounded in their own cultural knowledge and perspectives.^{24 25} All interviewers (Māori, Pacific and European) then met face to face to compare and contrast the findings across all three ethnic groups. During this analysis workshop, facilitated by an independent qualitative researcher, we identified overarching themes within the transcripts and extended the initial descriptive analyses that corresponded largely to the research protocol. This process allowed themes to be cross-validated and nuanced, and the themes reported below reflect a consensus reached by the authors. We make extensive use of participants' own comments, and signal each participant using the codes outlined in [table 1](#).

RESULTS

We began by identifying themes that corresponded to Chapman and Liberman's theoretical framework²¹ and then identified additional themes specific to Māori and Pacific participants. These latter themes provided more nuanced insights into participants' risk acceptance and likelihood of making informed choices.

Levels 1 and 2: awareness of general and specific health risks

Most participants had received some information about smoking's health risks from sources including television advertising and family and friends. However, as the participant below explained, this information often conflicted with their immediate environment:

Um, just, mum and dad, and the tv, like they have all those ads on the TV and, we were just brought up, knowing that, it's bad for you, and like, even though like, we had older cousins and that doing it (MF24).

Others reported learning about smoking's risks from school programmes and, once they started smoking, from warnings on packs:

I was in school, I was in 5th form. People from the hospital they came to school and did an interview about smoking and that, and showed us some photos of little kids smoking.... it put me off for like, all those pictures (PF18).

Both Māori and Pacific participants reported gleaning information from tobacco packaging, which had had a strong visual impact on them:

The first thing I saw was the packet. How it had all those pictures on it (PM19c).

Others went on to read the warning labels and learnt about smoking's risks from these:

I learnt more reading off the packets.... How it affects your lungs. And as I said you get looks of the pictures. Gangrene on your feet and stuff (MF19b). Yeah I read about it (risks of smoking) on the packet (PM19b).

Awareness of smoking's specific risks increased once participants had developed a regular smoking pattern and were more frequently exposed to on-pack warnings. As a result, some considered 'cutting down' so they could resolve the dissonance their risk knowledge aroused:

The first thing I saw was the packet. How it had all those pictures on it, and this was when we cut down on smoking.... when I always go for a smoke I always read the pack, it has all those lung stuff. That's what I always read (PM19c).

While many participants reported receiving information about risks, some felt they had received little



information, or reported they were not fully aware of the risks:

Oh I didn't know anything when I first started.....when I was 18 I didn't know that you could get killed from this stuff. And I didn't notice how bad it affects your body and stuff (MF19b).

Those possessing some risk understanding typically referred to cancer and few showed a detailed knowledge of the multiple risks caused by smoking:

That cancer thing, and I don't really know that much, ay. I just know that part. (PM19a).

Māori participants regretted their lack of knowledge and wondered whether knowing more at a younger age might have helped them remain smoke-free:

Yeah, I should've been told about it before I picked up my first cigarette (MM20). I think it should be better put out there because, like me, if I had've known more about it..... (MF19a).

Levels 3 and 4: personal acceptance and understanding the meaning of risk

Rather than outline how they had (or more typically had not) assessed and then accepted smoking's risks, most participants explained they had discounted risks by focusing on counter-evidence. Many used examples of smokers who they knew and believed were unscathed by smoking to question risk information, and repeatedly privileged their personal observations over health warnings:

I see some people that smoke every day but nothing's happened to them (PF23).

Evidence that the harms of smoking typically occurred over the long term enabled some to rationalise their current behaviour by arguing they were unlikely to suffer any immediate harm. These participants used the lack of an instantaneous effect to discount future risks:

.....it was seeing people everywhere smoking and realising but they're not dead and they're not... I think it's the fact that it doesn't kill you straight away. And, um, somehow I thought I must have just realised that they're smoking and they're not getting sicker; it's not affecting them immediately... (MF22).

Others reported feeling unconcerned about the risks they had seen on tobacco packages, which had no effect on their behaviour:

I saw pictures of like smoke effects and that, it didn't bother me. I just kept on smoking (PF23).

Even participants who had seen family members harmed by smoking did not feel motivated to quit:

Yep. I know more about smoking now only because smoking and the causes and the damage that it's done is close to home with me. That's why... but... and-and then, and then I look at myself and I'm still smoking so I'm just like, well I can't say anything about that but that's just how I feel... (MF25).

Only direct personal experience of harm seemed likely to motivate some participants to believe the risks they had seen were real:

And you know how you even see those pictures on the packs of smokes, I don't get put off. It's not enough to put me off. It's like "Oh yeah okay. I won't believe it until it happens" (MF19a).

Overall, while several participants indicated that they had a general awareness that smoking poses risks, many struggled to identify specific risks and most used rationalisations to distance themselves from the harms they recognised. These responses created an interesting context in which to explore whether and how they made deliberate decisions, and interpreted tobacco companies' arguments that smoking is an informed choice.

Reflective decision-making

Several participants spoke about smoking as something that had happened with little or no forethought, reflection or risk acceptance:

Nah I haven't really thought about it. It's just, I don't really, I'm... when I'm in the moment I just you know, I don't really think back, I'm like, it's just it happened so... (MF19b). We were just hanging out in the grounds and we wanted to have a smoke... I started from there (PM19a).

Participants' sense of something that had 'just happened', typically while they were 'hanging out', suggests smoking occurred without active reflection; instead, it was an unthinking transition from other activities. Some later found it difficult to understand their lack of analysis:

Mmmm, I actually thought that, you know, maybe a year later that it was strange how little I thought about it, the fact that I was actively taking up a highly addictive, you know, substance (MM 26).

Like others, this participant's retrospection positioned him as 'actively' taking up a behaviour. However, the 'little...thought' he gave to what he was doing questions how active his behaviour was and suggests other factors shaped participants' actions and how they interpret these.

Social context of smoking

Since most participants, particularly Māori, saw smoking as normal and ubiquitous within their social setting, few reported reflecting on whether they should start smoking:

Cause my family, everyone at home, smokes as well. So yeah, I really didn't even think about it for a second, I just started smoking (PM19a). Because everybody in our family were smoking too, so I thought I'd just be like them. I thought it was normal... (MF25b).

Participants' social context deterred active consideration, since they had no reason to reflect on a behaviour those around them practised. Their social context dissuaded reflection; rather, it promoted smoking uptake, since participants wanted to 'be like' those around them.

A minority reported feeling coerced into experimenting with smoking:

Nah 'cause they kept telling me, "Try it, try it, try it." And I thought if I tried it then they'll stop bugging me (MF19a). Cause my friends they always smoke, cause whenever I see them smoking I just feel like smoking too ... I don't want to smoke but they always dare me so I just like I just can't take it I just have to smoke (PF19).

These examples suggest some participants felt strong pressure to comply with normative practices, and eventually took the path of least resistance.

However, even those who argued that starting to smoke was their own decision also acknowledged they were influenced by what they perceived as positive attributes of smoking, particularly the social connections smoking created:

I think it was my own decision, but no-one really forced me to smoke but it's just when I keep on seeing, like my friends smoke and I'll be like, oh this, that looks cool (PM19c).

For others, 'coolness' was associated with sophistication and adult behaviour, as the legal purchase age of tobacco reinforced smoking as an adult activity:

Um, it-it, yeah, I think at that age it made me feel cool 'cause that was when you were growing up, that was the 'growing up' age and... (MF25b).

Smoking played an important role in helping participants feel integrated with a social group; displaying the same 'cool' behaviours helped them assert their group identity and develop stronger and more meaningful relationships:

Um, I don't know, I guess because my, um, my cousin smoked. So most of... some of my friends smoked and it just seemed like it was the in thing to do... And um I felt like whenever I went out and listened to the smokers talking, they were getting like very in-depth and talking about personal things and it seemed like a cool thing just to be able to socialise with people. It was a way to connect for me I think (MF22).

As well as providing a point of connection, some found that smoking counteracted boredom created by

unemployment, particularly when they had left school. In situations where young people had little else to do, smoking provided a distraction and united the group:

I dropped out of school, yeah so I was staying home and yeah that's when I started smoking every day cause yeah, just like the yeah, I was hanging round my mates every day. There was no school so we just had a smoke (PM19a).

Beliefs that smoking helped manage stress were widespread and several participants saw smoking as a form of self-medication that helped them cope more successfully with stressful settings.

Getting into a new relationship was a lot of stress because you know it's just stressful being in a relationship and you always tend to turn to smoking and that was how I turned to being a daily smoker (PF24). And then this year I went to Uni and it's my first year at Uni so um I needed it for stress, 'cause I was stressing out a lot and I just picked up smoking again (MF19a).

Several participants reported an association between drinking and smoking. Alcohol fuelled greatly increased consumption, particularly among participants who were otherwise lighter smokers:

When I'm sober I'll have one in the morning and one at lunch but when it's a party it's like two packets (PF23) and The more you drink, the more you smoke (MF 25a).

In summary, smoking was a social norm for many participants and was positively reinforced by a sense of group belonging. The perception that smoking alleviated stress further reinforced it while alcohol consumption and boredom fuelled consumption.

Addiction

Some participants had great faith in their ability to stop smoking and felt they would quit when they chose, using willpower and positive thinking:

I could say easy if I put my mind to it... (MF19).

However, others felt less confident because they had become addicted before they realised what was happening and only understood addiction once they had experienced it:

...you don't think about it cos it just sneaks up on you, like I said, it just suddenly, suddenly you're addicted and, and you don't quite realise it until it's too late (MF26).

The realisation they were addicted led some to talk regretfully about having started to smoke:

I was just thinking I shouldn't have started (laughs), and yeah regretted it (MM20).

Although some participants regretted smoking and a small number had felt pressured into initiating smoking, others saw smoking as a badge of maturity and a behaviour that connected them more strongly to their social groups. For these participants, addiction posed fewer concerns because smoking signalled their social standing. These perceptions influenced how participants interpreted industry arguments.

Tobacco companies' 'informed choice' argument

After reflecting on their understanding of smoking, their social context and smoking's addictiveness, we explored participants' reactions to a statement made by Imperial Tobacco:

The risks associated with smoking are universally known...and smoking is... a matter of informed adult choice.²⁶

Despite many participants stating they had little knowledge of smoking's risks, particularly its addictiveness, most nonetheless agreed that smoking was an informed choice:

...if you're an adult then, you know, it's their choice whether they want to do it or not, ...(MF24). ...it's an adult choice and it's up to that person if they wanna smoke or not smoke (PM19b).

One participant summed up the conflict many experienced; he already experienced considerable regret and felt inextricably addicted, but nonetheless asserted ownership of his situation.

For me, I regret having smoked when I was 14, cause, yeah, it just spoiled my life from that day, wasting money on it, yeah, but it's just that I can't leave it so. Yeah, but it's up to you aye. (PM19a).

Several saw smoking as a symbol of adulthood, and it was inconceivable that an adult would not make an informed choice:

...like if you're an adult, to me, like you're making an informed choice (MF24).

Smoking was also an important means of asserting their independent identity; declaring they had made anything less than a deliberate choice would be inconsistent with the autonomy they valued:

It's my life, I choose what I do, if I want to smoke, I smoke; if I don't want to smoke, I don't smoke (PF18).

None of our participants reflected on how tobacco companies' products had constrained and determined their choices; instead, they saw independence, adulthood and smoking as intertwined. Ironically, participants' desire to affirm their independence led them to agree with tobacco companies' position, despite the lack

of knowledge they outlined and the contextual factors that had shaped their actions.

DISCUSSION

Many participants had not progressed beyond Chapman and Liberman's first stage of informed choice. However, despite considering they had limited knowledge of smoking's risks, feeling influenced by social factors, and rarely considering future consequences, most nevertheless thought they had made an informed choice. Participants generally learnt about the specific risks of smoking from on-pack warnings, which they typically accessed only after becoming addicted. While developing this knowledge left them more informed, it could not influence their actions retrospectively; paradoxically, participants' assessment of their informedness occurred after their addiction, when they were more frequently exposed to warning information.

Like many young adults, most dismissed the risks presented as uncertain and unlikely.²⁷ Even those who had seen family members suffer from diseases caused by smoking, or who had themselves experienced ill health from smoking, rationalised their experiences, diminished the role played by smoking and rarely saw risks as relevant to themselves. Participants saw smoking as normal, a means of establishing social connections, and lived in social contexts where not smoking could have challenged group norms. The perceived supportive environment for continued smoking, and the importance many participants placed on smoking as a social behaviour that symbolised adulthood, undermined informed decision-making. So too did the strong association between alcohol and smoking; alcohol featured strongly in participants' social environments and compromised their ability to make rational decisions.

Study limitations include the small sample; while interviewing continued until data saturation had occurred, a larger study is required to assess whether the knowledge patterns and perceptions we identified reflect those of the wider population. Strengths include the use of in-depth interviews, which allowed us to elicit rich data that offer the first insights into how young adults from indigenous and minority ethnicities experience and interpret informed choice.

Our findings help explain persistent inequalities in smoking prevalence between Māori and Pacific peoples and New Zealand Europeans (NZE) and highlight important differences between ethnicities. Māori and Pacific participants reported having lower awareness of smoking's general risks than participants in the NZE sample, where all participants displayed awareness of some risks caused by smoking.²⁸ Participants were more likely to comment on the connecting role smoking played in their communities and family networks, which suggests social impediments influence Māori and Pacific young adults' actions. This normative environment may also explain differing perceptions of smoking's role in their future. While NZE

participants typically predicted they were 'unlikely to be smoking in the future' and saw smoking as 'a lifestyle phase',²² Māori and Pacific participants were less certain that smoking was a temporary part of their lives. They were also less likely than NZE participants to reflect critically on the tobacco industry's role in addicting them and others to a lethal product. Instead, they saw smoking as a symbol of maturity, and a sign they were capable of making adult decisions; in this context, declaring they had not made informed choices could seem akin to stating they had not yet matured fully.

Pacific and Māori participants were more likely to report using smoking to relieve life circumstances such as stress and boredom. Yet despite these differences, participants shared common attributes with NZE young adults. For all groups, the disinhibiting effects of alcohol undermined active risk evaluation and facilitated smoking uptake.^{17 18} Likewise, most participants greatly underestimated smoking's addictiveness even though understanding this concept was pivotal to making an informed choice.²² In common with NZE participants, many Māori and Pacific participants reported acting impulsively and without having reflected on the longer term consequences they might face. 'Informed choice' arguments do not correspond to the social contexts young adult Māori and Pacific smokers experience, where smoking is less a choice than a rite of passage.

Our findings suggest 'informed choice' arguments propose an illusory concept; young people cannot choose addiction when they do not understand what it will entail any more than they can accept risks they do not believe will affect them. Engaging with tobacco companies' claims that smokers should make 'informed choices' deflects attention from the industry's role in developing highly addictive and lethal products. Furthermore, 'informed choice' arguments erroneously suggest education will enhance young adults' decision-making. Crucially, these arguments overlook the role of regulatory measures in creating environments that recognise smoking uptake is neither rational nor informed, and that protect young people from addiction to a harmful product. As well as highlighting the crucial role of policy measures to change environments that facilitate smoking uptake, our findings also reveal the urgent need to change smoking norms within Māori and Pacific communities. While existing tobacco control policies such as smoke-free environments, tobacco taxation, social marketing and supply initiatives have gone some way to denormalising smoking in Māori and Pacific settings, future efforts (including targeted funding and resources) will need to prioritise Māori and Pacific populations if we are to reduce inequalities in smoking rates across New Zealand.

Political and tribal leaders, tobacco control advocates and smokers from indigenous communities are calling for new and innovative measures, including banning tobacco and reducing tobacco supply. Many of these

measures were outlined in the original MASC report, but progress in many areas has been disappointingly slow.²⁹ In addition to these more centralised approaches, it is important for Māori and Pacific communities to build social movements where people interact in smoke-free settings; examples such as Waka Ama (outrigger canoe racing) already exist. Other measures include altering environments where smoking uptake occurs, for example, (enforcing smoke-free policies in schools, creating a home environment where smoking is clearly not accepted as culturally appropriate, and by reducing social supply of tobacco within families and communities). Targeted and well-resourced mass media and social marketing campaigns could illustrate the harms of smoking (including addiction), decrease social supply, increase positive messages about 'smoking not being part of our culture', and expose the role of the tobacco companies in the smoking epidemic for Māori and Pacific peoples. Requiring all areas in bars and restaurants to be smoke-free will reduce opportunities for tobacco and alcohol co-use. Developing a smoke-free generation and increasing the age at which young adults may purchase tobacco may be particularly salient to Māori and Pacific peoples, and will need careful input from these communities.^{30 31}

Broader policy approaches may also be required to mitigate the risks of smoking being used to counteract stress and boredom.³² These could include increased employment opportunities and educational initiatives to ensure school success along with more nuanced health education. Low recall of school health programmes raises the possibility that health education messages may not be sufficiently targeted to meet the needs of specific cultural groups such as Pacific or Māori peoples, a conclusion advanced in other studies.^{33 34} Some Pacific participants had not grown up in New Zealand, so our results may also indicate a lack of exposure to education programmes run within NZ schools. Furthermore, some Māori and Pacific peoples reported having dropped out of school; thus, even those who had attended school in New Zealand may not have been exposed to all the health programmes that demonstrated smoking's harms.

Future research could explore the feasibility of these ideas with Māori and Pacific peoples and, if appropriate, pilot and test potential interventions to assess their uptake and impact on Māori and Pacific peoples. More fundamentally, young adults' acceptance of smoking as normal and socially binding reflects a need for deeper change within these communities, using culturally relevant mechanisms that community members themselves determine and implement.

CONCLUSION

For many young people, smoking uptake occurs quickly, easily and without deliberation. Arguments that smoking is an informed choice overlook young adults' limited

risk knowledge, ignore the social contexts that facilitate initiation and maintain smoking, and take no account of how addiction compromises choice. Two approaches could address the lack of informed choice evident in our findings. First, changing participants' environments by increasing the legal purchase age to at least 25, a point at which uptake becomes less likely, implementation of smoke-free generation proposals, decoupling smoking and drinking and increasing the cost of smoking and decreasing where tobacco may be consumed. Second, important contextual factors relevant to Māori and Pacific communities also require action to reduce the high smoking prevalence among these groups. Encouraging even greater participation in indigenous smoke-free social movements could provide Māori and Pacific role models who reinforce smoke-free messages. More fundamentally, however, tobacco control funding must recognise Māori and Pacific needs more effectively, and the New Zealand government must be held accountable for achieving the smoke-free 2025 goal so clearly outlined in the MASC report.

Acknowledgements The authors wish to acknowledge the research participants whose willingness to be interviewed allowed the study to proceed.

Contributors HG and JH led this phase of the project. JH conceived the project and with RE, obtained funding. HG, SE and DT collected the data reported. HG, SE, JH and RG undertook the initial data analyses. HG and JH led the manuscript development. E-ST, SE, RG and RE provided feedback on drafts. All authors have approved the submitted manuscript and agree to be responsible for the data reported.

Funding Funding for the project was provided by the Royal Society of New Zealand Marsden Fund (Grant 11/134). The authors had full responsibility for the study design, data collection and analysis, report writing and the preparation of this manuscript. The authors had full access to all of the data in this study and take complete responsibility for the integrity of the data and the accuracy of the data analysis.

Competing interests The authors have no competing interests but note, for the sake of full disclosure, that we have received funding from the New Zealand Health Research Council, Royal Society of New Zealand Marsden Fund, New Zealand Ministry of Health, Heart Foundation of New Zealand and New Zealand Cancer Society.

Ethics approval University of Otago Human Ethics Committee which undertook a full review of the proposed research approval (11/297).

Provenance and peer review Not commissioned; externally peer reviewed.

Data sharing statement Owing to the sensitive nature of the research topic, the researchers undertook to keep the interview transcripts confidential to the research team. For this reason, the data are not available to other researchers. However, the protocol used is provided as an online supplementary file.

Open Access This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

REFERENCES

1. New Zealand Parliament. *Parliamentary business: select committees*. Wellington: New Zealand Parliament, 2016.
2. New Zealand Parliament. *Inquiry into the tobacco industry in Aotearoa and the consequences of tobacco use for Maori, Report of the Maori Affairs Committee*. Wellington: New Zealand Parliament, 2010.
3. Ministry of Health. *Annual update of key results 2014/15: New Zealand Health Survey*. Wellington: Ministry of Health, 2015.
4. Balbach ED, Smith EA, Malone RE. How the health belief model helps the tobacco industry: individuals, choice, and "information". *Tob Control* 2006;15:iv37–43.
5. Maubach N, Hoek J, Edwards R, *et al*. "The times are changing": New Zealand smokers' perceptions of the tobacco endgame. *Tob Control* 2012;22:395–400.
6. ASH New Zealand. *ASH year 10 snapshot survey: topline results*. Auckland: ASH New Zealand, 2015. <http://www.ash.org.nz/wp-content/uploads/2015/03/F1-General-Topline.pdf>
7. Edwards R, Peace J, Carter K, *et al*. An examination of smoking initiation rates by age: results from a large longitudinal study in New Zealand. *Aust N Z J Public Health* 2013;37:516–19.
8. Ponniah S, Bloomfield A. Sociodemographic characteristics of New Zealand adult smokers, ex-smokers, and non-smokers: results from the 2006 Census. *N Z Med J* 2008;121:34–42.
9. Greenfield K. *The myth of choice: personal responsibility in a world of limits*. Yale University Press, 2011.
10. Hoek J. Informed choice and the nanny state: learning from the tobacco industry. *Public Health* 2015;129:1038–45.
11. Perry B. *2013 household incomes report-key findings*. Wellington: Ministry of Social Development, 2013.
12. Barnett R, Pearce J, Moon G. Does social inequality matter? Changing ethnic socio-economic disparities and Maori smoking in New Zealand, 1981–1996. *Soc Sci Med* 2005;60:1515–26.
13. McGee R, Williams S, Reeder A. Parental tobacco smoking behaviour and their children's smoking and cessation in adulthood. *Addiction* 2006;101:1193–201.
14. Teevale T, Denny S, Nosa V, *et al*. Predictors of cigarette use amongst Pacific youth in New Zealand. *Harm Reduct J* 2013;10:25.
15. Gifford H, Boulton A. Is sharing tobacco within the home really good manaakitanga? In: Kapa M, Brewin M, Manu'atu L, eds. *Home: here to stay*. Wellington: Ngā Pae o te Māramatanga and Huia Publishers, 2015:83–95.
16. Australian Bureau of Statistics. *2006 census of population and housing: socio-economic indexes for area's (SEIFA)*. Canberra, Australia: Commonwealth of Australia, 2008.
17. Hoek J, Maubach N, Stevenson R, *et al*. Social smokers' management of conflicted identities. *Tob Control* 2013;22:261–5.
18. Jiang N, Ling PM. Impact of alcohol use and bar attendance on smoking and quit attempts among young adult bar patrons. *Am J Public Health* 2013;103:e53–61.
19. Ministry of Health. *Annual update of key results 2013/14: New Zealand Health Survey*. Wellington: Ministry of Health, 2014.
20. Health Mo. *Annual update of key results 2014/15: New Zealand Health Survey*. Wellington: Health Mo, 2015.
21. Chapman S, Liberman J. Ensuring smokers are adequately informed: reflections on consumer rights, manufacturer responsibility, and policy implications. *Tob Control* 2005;14:8–13.
22. Gray RJ, Hoek J, Edwards R. A qualitative analysis of 'informed choice' among young adult smokers. *Tob Control* 2016;25:46–51.
23. Hoek J, Gifford H, Maubach N, *et al*. A qualitative analysis of messages to promote smoking cessation among pregnant women. *BMJ Open* 2014;4:e006716.
24. Dey I. *Qualitative data analysis: a user-friendly guide for social scientists*. Routledge, 1993.
25. Pihama L, Cram F, Walker S. Creating methodological space: a literature review of Kaupapa Maori research. *Can J Native Educ* 2002;26:30.
26. Imperial Tobacco New Zealand Limited. Submission to the Māori Affairs Select Committee Enquiry into the tobacco industry in Aotearoa and the consequences of tobacco use for Māori. 2010. http://www.parliament.nz/resource/en-nz/49SCMA_EVI_00DBSCH_INQ_9591_1_A31344/75f02240fc80e9529d2e821f96168a446bf46930
27. Hoek J, Hoek-Sims A, Gendall P. A qualitative exploration of young adult smokers' responses to novel tobacco warnings. *BMC Public Health* 2013;13:609.
28. Gray R, Hoek J, Edwards R. Do young adults exercise informed choice about smoking? In: Walker N, Grana R, eds. *Society for nicotine and tobacco research*. Chicago: Society for Nicotine and Tobacco Research, 2016:139.
29. Ball J, Edwards R, Waa A, *et al*. Is the NZ Government responding adequately to the Māori Affairs Select Committee's 2010 recommendations on tobacco control? A brief review. *N Z Med J* 2016;129:93–7.
30. Winickoff JG, McMillen R, Tanski S, *et al*. Public support for raising the age of sale for tobacco to 21 in the United States. *Tob Control* 2016;25:284–8.

31. Berrick AJ. The tobacco-free generation proposal. *Tob Control* 2013;22(Suppl 1):i22–6.
32. Richardson K. *Smoking, low income and health inequalities: thematic discussion document*. ASH, 2001.
33. Tautolo el-S, Schluter PJ, Paterson J, *et al*. Acculturation status has a modest effect on smoking prevalence among a cohort of Pacific fathers in New Zealand. *Aust N Z J Public Health* 2011;35:509–16.
34. Lanumata T, Thomson G, Wilson N. Pacific solutions to reducing smoking around Pacific children in New Zealand: a qualitative study of Pacific policymaker views. *N Z Med J* 2010;123: 54–63.

BMJ Open

A qualitative analysis of Maori and Pacific smokers' views on informed choice and smoking

Heather Gifford, El-Shadan Tautolo, Stephanie Erick, Janet Hoek, Rebecca Gray and Richard Edwards

BMJ Open 2016 6:
doi: [10.1136/bmjopen-2016-011415](https://doi.org/10.1136/bmjopen-2016-011415)

Updated information and services can be found at:
<http://bmjopen.bmj.com/content/6/5/e011415>

These include:

References

This article cites 20 articles, 6 of which you can access for free at:
<http://bmjopen.bmj.com/content/6/5/e011415#BIBL>

Open Access

This is an Open Access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Topic Collections

Articles on similar topics can be found in the following collections

[Public health](#) (1541)
[Qualitative research](#) (492)
[Smoking and tobacco](#) (191)

Notes

To request permissions go to:
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:
<http://group.bmj.com/subscribe/>